Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 22, September 1, 2011

For the Period August 23 to 29, 2011

Warm and dry weather in many areas of the province has allowed Saskatchewan producers to combine 21 per cent of the 2011 crop. Twenty-seven per cent is swathed or ready to straight-cut, according to Saskatchewan Agriculture's weekly Crop Report.

One year ago
Eight per cent of the 2010 crop had been combined. A wet week in most areas of the province delayed crop maturity and slowed harvest.

The five-year (2006-2010) provincial average for this time of year is 20 per cent combined and 26 per cent swathed or ready to straight-cut. Last year at this time, eight per cent had been combined and 22 per cent swathed or ready to straight-cut.

Harvest progress varies across the province. The southwest has 37 per cent combined and 16 per cent swathed or ready to straight-cut; the southeast has 29 per cent combined and 25 per cent swathed or ready to straight-cut; the northeast has eight per cent combined and 35 per cent swathed or ready to straight-cut, and the northwest has five per cent combined and 19 per cent swathed or ready to straight-cut. In east-central Saskatchewan, 18 per cent of the crop is combined and 37 per cent swathed or ready to straight-cut, and in west-central Saskatchewan 13 per cent of the crop is combined and 30 per cent swathed or ready to straight-cut.

Across the province, topsoil moisture on cropland is rated as two per cent surplus, 68 per cent adequate, 27 per cent short and three per cent very short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 63 per cent adequate, 32 per cent short and four per cent very short.

Harvest Progress in SK Per cent combined	
All Crops	
Aug 29/11	21
5 year avg. (2006-2010)	20
Aug 30/10	8
Aug 31/09	8
Aug 31/08	20
Aug 26/07	27
Aug 27/06	37

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Tel: (306) 694-3592. Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Most of the areas in the region experienced warm and dry weather for much of the week. Most crop districts only received rain on Monday, although some did receive rainfall on Saturday. Precipitation ranged from nil to 55 mm, with the average being 8.5 mm. The most rain fell in the Kisby area. Other areas that received substantial amounts include Manor (28 mm), Stoughton (35 mm), Moosomin (25 mm) and Radville (22 mm).

The warm dry weather allowed crops to mature and producers to make good harvesting progress. Twenty-nine per cent of the 2011 crop has been harvested, while 25 per cent is swathed or ready to straight-cut. Eighty-six per cent of the winter wheat, 94 per cent of the fall rye, 12 per cent of the spring wheat and durum, eight per cent of the oats, 16 per cent of barley, 72 per cent of the lentils, 77 per cent of the peas, 33 per cent of the canola and 15 per cent of the mustard has been combined. Forty-three per cent of the canola and 29 per cent of the mustard is swathed or ready to straight-cut.

Crop reporters are indicating varying yields ranging from good to very poor. At this stage, average yields are predicted as follows: winter wheat 38 bu/ac, spring wheat 31 bu/ac, durum 30 bu/ac, oats 49 bu/ac, barley 44 bu/ac, fall rye 37 bu/ac, flax 16 bu/ac, canola 24 bu/ac, mustard 761 lbs/ac, lentils 1,004 lb./ac, peas 27 bu/ac, canaryseed 1,028 lb./ac and chickpeas 500 lb./ac.

Topsoil moisture on cropland is reported as four per cent surplus, 61 per cent adequate, 34 per cent short and one per cent very short. On hay land and pasture, topsoil moisture is rated as three per cent surplus, 60 per cent adequate, 36 per cent short and one per cent very short.

The majority of crop damage is due to wind, hail, diseases and insects. The wind was strong enough in some areas to damage farm structures such as bins.

The rain that fell during the week was generally welcome, as some crops were starting to show stress, particularly those that were seeded late and had shallow roots.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

The region experienced warm and dry weather all week. Rain was reported in a few areas in amount ranging from nil to 24 mm, with the average being 1.4 mm. The most rain fell in the Rockglen area. Other areas that received significant rainfall include Cadillac (8 mm), Bengough (5 mm) and Lisieux (5 mm).

With the warm dry weather, crops have advanced well and producers have made good harvesting progress. Thirty-seven per cent of the 2011 crop has been harvested while 16 per cent is swathed or ready to straight-cut. Eighty-six per cent of the winter wheat, 79 per cent of the fall rye, 14 per cent of the spring wheat, 15 per cent of durum, 22 per cent of the oats, 28 per cent of barley, 77

per cent of the lentils, 80 per cent of the peas, 52 per cent of the canola and 21 per cent of the mustard has been combined. Thirty-four per cent of the canola and 20 per cent of the mustard is swathed or ready to straight-cut.

Average yields are predicted as follows: winter wheat 40 bu/ac, spring wheat 31 bu/ac, durum 33 bu/ac, oats 49 bu/ac, barley 48 bu/ac, fall rye 41 bu/ac, flax 17 bu/ac, canola 28 bu/ac, mustard 1,022 lb./ac, lentils 1,350 lb./ac, peas 29 bu/ac, canaryseed 990 lb./ac and chickpeas 1,335 lb./ac.

Topsoil moisture on cropland is reported as one per cent surplus, 50 per cent adequate, 43 per cent short and six per cent very short. On hay land and pasture, topsoil moisture is rated as 44 per cent adequate, 48 per cent short and eight per cent very short.

The majority of crop damage is due to wind, hail, diseases and insects.

Producers are busy harvesting crops and controlling weeds in chemfallow and summerfallow. There are reports of late-seeded cereals that are still green. Late seeded crops have been affected by drought, with some reporters indicating a desperate need for rain. As swathing progresses, some producers are finding areas showing significant crop damage due to flooding in the spring. Haying is complete in most areas and farmers are busy hauling bales.

East-Central Saskatchewan (Crop Districts 5 and 6a)

Most of the areas in the region experienced warm and dry weather for much of the week, with rain coming on Monday. Precipitation ranged from nil to 33 mm with an average of 3 mm. The most rain fell in the Stockholm area. Other areas that received substantial amounts include Saltcoats (24 mm), Langenburg (13 mm), and Calder (11 mm).

With warm dry weather, crops have advanced well and producers have made good harvesting progress. Eighteen per cent of the 2011 crop has been harvested, while 37 per cent is swathed or ready to straight-cut. Ninety-one per cent of the winter wheat, 97 per cent of the fall rye, five per cent of the spring wheat, two per cent of durum and oats, 20 per cent of barley, 54 per cent of the lentils, 62 per cent of the peas, 15 per cent of the canola and nine per cent of the mustard has been combined. Fifty-nine per cent of the canola and 28 per cent of the mustard is swathed or ready to straight-cut.

Average yields are predicted as follows: winter wheat 43 bu/ac, spring wheat 36 bu/ac, durum 34 bu/ac, oats 76 bu/ac, barley 57 bu/ac, fall rye 33 bu/ac, flax 22 bu/ac, canola 30 bu/ac, mustard 1,132 lb./ac, lentils 1,370 lb./ac, peas 37 bu/ac, canaryseed 1,076 lb./ac and chickpeas 1,100 lb./ac.

Topsoil moisture on cropland is reported as two per cent surplus, 73 per cent adequate, 24 per cent short and one per cent very short. On hay land and pasture, topsoil moisture is rated as one per cent surplus, 66 per cent adequate, 28 per cent short and five per cent very short.

The majority of crop damage is due to wind, hail, diseases and insects. Some damage due to flooding and heat has also been reported.

Farmers are busy harvesting crops. There are reports of yields being lower than normal due to wet conditions in the spring; however, there is quite a high variation in yields for most crops. Some reporters are indicating that the rain towards the end of the week may cause some reduction in quality as well as interfering with harvesting, as crops such as oats may exhibit secondary growth.

West-Central Saskatchewan (Crop Districts 6B and 7)

The region experienced warm and dry weather for much of the week, with very little rain. Precipitation ranged from nil to 5 mm with an average of 0.5 mm. The most rain fell on Saturday in the Kerrobert area. Other areas that received some rain include Smiley and Netherhill (2 mm) and Kindersley (2.5 mm).

Thirteen per cent of the 2011 crop has been harvested while 30 per cent is swathed or ready to straight-cut. Sixty-three per cent of the winter wheat, 52 per cent of the fall rye, four per cent of the spring wheat, one per cent of durum, three per cent of the oats, 10 per cent of barley, 24 per cent of the lentils, 55 per cent of the peas, 12 per cent of the canola and one per cent of the mustard has been combined. Sixty-five per cent of the canola and 30 per cent of the mustard is swathed or ready to straight-cut.

Average yields are predicted as follows: winter wheat 53 bu/ac, spring wheat 36 bu/ac, durum 36 bu/ac, oats 65 bu/ac, barley 54 bu/ac, fall rye 25 bu/ac, flax 24 bu/ac, canola 33 bu/ac, mustard 1,202 lb./ac, lentils 1,202 lb./ac, peas 38 bu/ac, canaryseed 1,044 lb./ac and chickpeas 1,300 lb./ac.

Topsoil moisture on cropland is reported as one per cent surplus, 69 per cent adequate, 25 per cent short and five per cent very short. On hay land and pasture, topsoil moisture is rated as one per cent surplus, 67 per cent adequate, 23 per cent short and nine per cent very short.

The majority of crop damage is due to wind, drought and insects. Most reporters indicated that harvesting is progressing well.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

The region experienced warm and dry weather for much of the week, with very little rain. Precipitation ranged from nil to 10 mm with the average being 1.6 mm. The mmost rain fell on Tuesday in the Nipawin area. Other areas that received some rain include Garrick (4 mm) and Arborfield and Tisdale (2 mm).

Eight per cent of the 2011 crop has been harvested while 35 per cent is swathed or ready to straight-cut. Ninety per cent of the winter wheat, 100 per cent of the fall rye, six per cent of the spring wheat, two per cent of the oats, 21 per cent of

barley, seven per cent of the lentils, 49 per cent of the peas and one per cent of the canola has been combined. Fifty-eight per cent of the canola and 20 per cent of the mustard is swathed or ready to straight-cut.

Average yields are predicted as follows: winter wheat 41 bu/ac, spring wheat 40 bu/ac, durum 42 bu/ac, oats 80 bu/ac, barley 65 bu/ac, fall rye 33 bu/ac, flax 21 bu/ac, canola 31 bu/ac, mustard 750 lbs/ac, lentils 1,044 lb./ac, peas 34 bu/ac and canaryseed 1,314 lb./ac.

Topsoil moisture on cropland is reported as three per cent surplus, 88 per cent adequate and nine per cent short. On hay land and pasture, topsoil moisture is rated as two per cent surplus, 79 per cent adequate, 17 per cent short and two per cent very short.

The majority of crop damage is due to wind, diseases and insects. Reporters indicate that harvesting is progressing well. Yields on late-seeded crops may be affected due to lack of moisture in recent weeks. As well, wet conditions in June and July may have contributed to lower-than-normal pea and lentil yields.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

The region experienced warm and dry weather for much of the week, with very little rain. Precipitation ranged from nil to 9 mm with the average being 2.1 mm. The most rain fell in the Hafford area. Other areas that received some rain include Barthel (6 mm), Meadow Lake and Radisson (5 mm), and Speers (4 mm).

Five per cent of the 2011 crop has been harvested while 19 per cent is swathed or ready to straight-combine. Two per cent of the spring wheat and three per cent of the canola has been combined. Thirty per cent of the canola is swathed or ready to straight-cut.

Average yields are predicted as follows: winter wheat 48 bu/ac, spring wheat 41 bu/ac, oats 85 bu/ac, barley 67 bu/ac, fall rye 30 bu/ac, flax 20 bu/ac, canola 32 bu/ac, lentils 900 lb./ac and peas 36 bu/ac.

Topsoil moisture on cropland is reported as 96 per cent adequate and four per cent short. On hay land and pasture, topsoil moisture is rated as 84 per cent adequate and 16 per cent short.

The majority of crop damage is due to wind, diseases and insects. Some damage due from lodging and heat has also been reported. Harvest is progressing well. Some crop reporters are indicating that yields will vary due to a number of problems such as wind and hail and excess moisture in June.

Saskatchewan Harvest Progress August 29, 2011

winter wheat	% Standing	% in swath	% ready to straight-cut	% combined	% Other
SE	1.0	1.5	7.8	86.3	3.4
SW	4.7	1.5	8.0	85.8	0.0
EC	0.0	0.2	9.2	90.6	0.0
WC	16.7	0.0	20.0	63.3	0.0
NE	0.0	8.7	1.3	90.0	0.0
NW	100.0	0.0	0.0	0.0	0.0

Fall rye	% Standing	% in swath	% ready to straight-cut	% combined	% Other
SE	0.1	1.2	1.8	94.2	2.7
SW	0.8	1.6	2.1	78.8	16.7
EC	0.0	0.0	3.5	96.5	0.0
WC	10.8	24.5	10.3	52.4	2.0
NE	0.0	0.1	0.0	99.9	0.0
NW	0.0	0.0	100.0	0.0	0.0

Spring wheat	% Standing	% in swath	% ready to straight-cut	% combined	% Other
SE	64.8	13.9	9.4	11.9	0.0
SW	65.3	5.7	14.6	14.4	0.0
EC	74.7	13.8	6.7	4.8	0.0
WC	76.1	12.4	7.6	3.8	0.1
NE	78.8	9.5	5.7	6.0	0.0
NW	90.0	5.4	3.1	1.5	0.0

Durum	% Standing	% in swath	% ready to straight-cut	% combined	% Other
SE	70.2	9.6	8.0	12.2	0.0
SW	67.5	5.6	12.2	14.7	0.0
EC	75.7	12.1	9.9	2.3	0.0
WC	92.4	3.7	3.0	0.9	0.0
NE	81.7	13.3	5.0	0.0	0.0

Oats	% Standing	% in swath	% ready to straight-cut	% combined	% Other
SE	83.6	5.2	2.2	8.2	0.8
SW	55.2	2.8	12.3	21.9	7.8
EC	85.2	10.6	0.7	2.1	1.4
WC	82.5	13.7	0.0	3.4	0.4
NE	90.1	3.6	3.9	2.4	0.0
NW	94.6	2.5	2.5	0.0	0.4

Barley	% Standing	% in swath	% ready to straight-cut	% combined	% Other
SE	60.7	20.8	1.7	16.2	0.6
SW	54.1	7.7	10.6	27.6	0.0
EC	54.2	20.6	5.4	19.8	0.0
WC	72.4	12.2	4.4	10.3	0.7
NE	46.2	26.3	5.9	20.9	0.7
NW	84.9	9.6	5.0	0.5	0.0

Lentils	% Standing	% in swath	% ready to straight-cut	% combined	% Other
SE	8.3	5.4	14.7	71.6	0.0
SW	10.4	5.0	7.5	77.1	0.0
EC	28.6	0.3	17.1	54.0	0.0
WC	45.8	10.0	20.1	24.1	0.0
NE	68.1	14.2	10.6	7.1	0.0
NW	76.8	23.2	0.0	0.0	0.0

Peas	% Standing	% in swath	% ready to straight-cut	% combined	% Other
SE	13.4	4.2	5.1	76.7	0.6
SW	13.7	0.0	6.7	79.6	0.0
EC	12.6	8.9	16.1	62.4	0.0
WC	22.2	4.7	18.2	54.9	0.0
NE	35.9	2.2	12.6	49.3	0.0
NW	38.0	9.0	14.5	38.5	0.0

Canola	% Standing	% in swath	% ready to straight-cut	% combined	% Other	Mustard	% Standing	% in swath	% ready to straight-cut	% combined	% Other
SE	24.1	41.0	1.8	33.1	0.0	SE	55.7	27.6	1.7	15.0	0.0
SW	14.4	33.3	0.3	51.9	0.1	SW	59.8	10.7	8.8	20.7	0.0
EC	26.0	59.0	0.0	15.0	0.0	EC	63.2	21.0	6.7	9.1	0.0
WC	23.1	63.7	1.3	11.8	0.1	WC	69.6	18.4	11.1	0.9	0.0
NE	41.4	56.9	0.6	1.1	0.0	NE	80.0	20.0	0.0	0.0	0.0
NW	66.9	29.8	0.0	3.3	0.0	NW	100.0	0.0	0.0	0.0	0.0
Triticale	**% Standing**	**% in swath**	**% ready to straight-cut**	**% combined**	**% Other**						
SE	32.1	13.9	12.9	23.5	17.6						
EC	100.0	0.0	0.0	0.0	0.0						
WC	60.0	20.0	10.0	10.0	0.0						
NE	50.0	0.0	0.0	50.0	0.0						

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending August 29, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: August 31, 2011

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period August 23 to 29, 2011

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	N/A	240
	2	Mount Pleasant	N/A	284
	3	Enniskillen	15	352
	33	Moose Creek	N/A	291
	34	Browning	2	386
	61	Antler	N/A	305
	63	Moose Mountain	25	357
	64	Brock	55	344
	65	Tecumseh	35	470
1B	91	Maryfield	N/A	379
	92	Walpole	N/A	282
	96	Golden West	2	351
	122	Martin	25	495
	123	Silverwood	3	360
	124 A	Kingsley	N/A	316
	125	Chester	N/A	287
	151 A	Rocanville	6	449
	151 B	Rocanville	2	394
	153	Willowdale	9	356
	154	Elcapo	2	307
	155	Wolseley	8	381
2A	66	Griffin	N/A	316
	67	Weyburn	NIL	472
	68	Brokenshell	NIL	454
	69	Norton	N/A	386
	97	Wellington	2	413
2B	127 A	Francis	2.5	349
	127 B	Francis	NIL	259
	129	Bratt's Lake	NIL	284
	158	Indian Head	NIL	347
	160 A	Pense	NIL	181
	160 B	Pense	NIL	236
	161	Moose Jaw	N/A	170
	191	Marquis	1	196
3ASE	38 A	Lauder	N/A	397
	38 B	Lauder	NIL	433
	39 A	The Gap	5	327
	39 B	The Gap	22	444
	10	Happy Valley	N/A	485
3ASW	12	Poplar Valley	4	332
	40	Bengough	5	489
	42	Willow Bunch	5	403
	43	Old Post	24	408
	44 A	Waverley	2	294
	44 B	Waverley	N/A	311
	70	Key West	N/A	348
	71	Excel	NIL	392
	73 A	Stonehenge	N/A	337
	73 B	Stonehenge	NIL	367
	74	Wood River	NIL	349
	17	Val Marie	8	502
3AN	18	Lone Tree	N/A	259
	45	Mankota	2	497
	75 A	Pinto Creek	N/A	337
	75 B	Pinto Creek	NIL	347
	76 A	Auvergne	NIL	266
	76 B	Auvergne	2	264
	77	Wise Creek	NIL	276
	78 A	Grassy Creek	NIL	317
	78 B	Grassy Creek	NIL	318
	78 C	Grassy Creek	NIL	269
	101	Terrell	NIL	274
	102	Lake Johnston	3	294
	103	Sutton	NIL	320
	105	Glenbain	NIL	332
	106	Whiska Creek	NIL	279
	107	Lac Pelletier	NIL	237
	108	Bone Creek	NIL	307
	134	Shamrock	N/A	270
	164	Chaplin	NIL	302
	193 A	Eyebrow	2	205
	193 B	Eyebrow	N/A	204
	194	Enfield	NIL	219
	138	Webb	NIL	209
3BN	166	Excelsior	NIL	243
	167	Sask. Landing	NIL	296
	168	Riverside	NIL	200
	226	Victory	NIL	214
	228	Lacadena	NIL	196
	257	Monet	1	170

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	109	Carmichael	NIL	284
	110	Piapot	N/A	139
	111	Maple Creek	NIL	151
	49 A	White Valley	NIL	214
	49 B	White Valley	N/A	201
	51	Reno	NIL	315
	79	Arlington	1	228
4B	139	Gull Lake	NIL	185
	141	Big Stick	NIL	167
	142	Enterprise	NIL	190
	169	Pittville	NIL	170
	171	Fox Valley	N/A	175
	231	Happyland	N/A	202
5A	183	Fertile Belt	33	500
	186	Abernathy	4	279
	211	Churchbridge	13	390
	213	Saltcoats	24	380
	216	Tullymet	NIL	288
	217	Lipton	1	239
	241	Calder	11	317
	243	Wallace	8	285
	245 A	Garry	N/A	238
	245 B	Garry	NIL	370
	245 C	Garry	3	344
	246	Ituna Bon Accord	NIL	296
	247	Kellross	NIL	276
	248	Touchwood	NIL	183
5B	271	Cote	5	217
	276	Foam Lake	N/A	42
	277	Emerald	1	269
	305	Invermay	6	323
	307	Elfros	NIL	356
	308	Big Quill	NIL	181
	333 A	Clayton	N/A	NIL
	333 B	Clayton	20	267
	334	Preeceville	25	246
	335	Hazel Dell	1	285
	336	Sasman	NIL	290
	337	Lakeview	NIL	282
	338	Lakeside	NIL	209
	366	Kelvington	NIL	279
6A	189	Lumsden	N/A	219
	190 A	Dufferin	NIL	247
	190 B	Dufferin	NIL	233
	190 C	Dufferin	N/A	181
	190 D	Dufferin	N/A	197
	219	Longlaketon	1	180
	220	Mckillop	NIL	195
	221	Sarnia	0.5	233
	222	Craik	NIL	220
	251	Big Arm	2	217
	252	Arm River	NIL	183
	279	Mount Hope	4	235
	280	Wreford	NIL	224
	282	Mocraney	1	242
	309	Prairie Rose	N/A	208
	313	Lost River	NIL	150
	339	Leroy	NIL	189
	340	Wolverine	NIL	180
	341	Viscount	N/A	205
	343	Blucher	0.5	170
6B	283	Rosedale	0.5	129
	284	Rudy	NIL	243
	285	Fertile Valley	NIL	234
	286	Milden	NIL	342
	314	Dundurn	NIL	287
	344	Corman Park	NIL	255
	346	Perdue	NIL	315
	376 A	Eagle Creek	N/A	252
	376 B	Eagle Creek	NIL	257
	403	Rosthern	1	257
7A	260 A	Newcombe	N/A	102
	260 B	Newcombe	2.53	214
	261	Chesterfield	N/A	58
	287	St. Andrews	NIL	210
	288	Pleasant Valley	N/A	159
	290 A	Kindersley	2	186
	290 B	Kindersley	N/A	66
	292	Milton	N/A	180
	317 A	Marriott	NIL	318
	317 B	Marriott	NIL	301
	318 B	Mountain View	N/A	277
	320 A	Oakdale	NIL	256
	320 B	Oakdale	NIL	197
	321	Prairiedale	2	257

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7B	347 A	Biggar	NIL	260
	347 B	Biggar	N/A	267
	350 A	Mariposa	NIL	215
	350 B	Mariposa	NIL	252
	351	Progress	N/A	221
	352	Heart's Hill	5	299
	377	Glenside	1	293
	378 A	Rosemount	NIL	280
	378 B	Rosemount	NIL	258
	379	Reford	NIL	245
	380	Tramping Lake	NIL	180
	381	Grass Lake	N/A	221
	409 A	Buffalo	N/A	232
	409 B	Buffalo	N/A	242
	410	Round Valley	NIL	295
	411	Senlac	NIL	248
8A	395	Porcupine	1	279
	397	Barrier Valley	0.2	272
	428	Star City	NIL	178
	456	Arborfield	2	235
	457	Connaught	2	282
	458	Willow Creek	NIL	288
	486	Moose Range	3	228
	487	Nipawin	10	221
8B	369	St. Peter	NIL	95
	370	Humboldt	NIL	172
	371 A	Bayne	N/A	200
	372	Grant	1.79	277
	402	Fish Creek	NIL	292
	429	Flett's Springs	NIL	252
	459	Kinistino	N/A	243
	460	Birch Hills	N/A	327
9AE	461	Prince Albert	NIL	256
	488 A	Torch River	4	344
	488 B	Torch River	N/A	NIL
	491	Buckland	0.12	218
9AW	406	Mayfield	5	220
	435	Redberry	9	261
	436	Douglas	4	229
	463	Duck Lake	NIL	247
	464	Leask	4	307
	467 A	Round Hill	N/A	172
	467 B	Round Hill	NIL	235
	494	Canwood	2	381
	496	Spiritwood	N/A	53
	497	Medstead	N/A	180
9B	438	Battle River	NIL	240
	440	Hillsdale	NIL	190
	442	Manitou Lake	NIL	250
	468 A	Mecta	N/A	32
	468 B	Mecta	N/A	285
	468 C	Mecta	N/A	356
	498 A	Parkdale	NIL	373
	498 B	Parkdale	NIL	233
	499	Marvin	1	330
	501 A	Frenchman Butte	N/A	280
	501 B	Frenchman Butte	NIL	210
	501 C	Frenchman Butte	NIL	369
	561	Loon Lake	6	311
	588 A	Meadow Lake	5	307
	588 B	Meadow Lake	2	403
	588 C	Meadow Lake	2	463
	588 D	Meadow Lake	N/A	547
	622	Beaver River	3	258

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2011
To: August 29, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 3.0, fixed radius 300 km)

Prepared by: Geomatics Services Date: August 31, 2011

Cropland Topsoil Moisture Conditions

August 30, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: August 31, 2011

Hay and Pasture Topsoil Moisture Conditions

August 30, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: August 31, 2011